

## **POSSIBLE MOTION**

**I MOVE TO** approve Resolution 2016-01 on  
first and final reading.

Sponsor: Potrzuski/Eisenbeisz

**CITY AND BOROUGH OF SITKA**

**RESOLUTION NO. 2016-01**

**A RESOLUTION OF THE CITY AND BOROUGH OF SITKA, REQUESTING THE  
STATE DEPARTMENT OF LAW REVISE THE 500 FOOT SET-BACK PROVISION IN  
3 AAC 306.010.**

**WHEREAS**, Ballot Measure No. 2, "An Act to Tax and Regulate the Production, Sale, and Use of Marijuana" passed with a majority of the voters in support; and

**WHEREAS**, due to geographic constraints dictated by local topography many municipalities have limited real-estate on which to develop; and

**WHEREAS**, a result of those limitations on developable real-estate is that municipalities are compelled to reconcile highly incongruous zoning and building uses in close proximity to each other; and

**WHEREAS**, the requirement for there to be a 500 foot space between any licensed marijuana establishment and a school, recreation or youth center, building where religious services are regularly conducted and a correctional facility limits the ability of an establishment to receive a license from the state; and

**WHEREAS**, such a requirement stands in direct contradiction to AS 17.38.090(a) thus making implementation of the law unreasonably impracticable; and,

**WHEREAS**, licensed liquor establishments operate under a 200 ft. setback, per AS 04.11.410(a),

**NOW, THEREFORE, BE IT RESOLVED** the Assembly of the City and Borough of Sitka, Alaska, requests that the Alaska State Department of Law recommend the set-back distance required between all marijuana establishments and any schools, recreation or youth centers, religious buildings and correctional facilities be a minimum of 200 ft. to be determined by local planning and zoning regulation.

**PASSED, APPROVED, AND ADOPTED** by the Assembly of the City and Borough of Sitka, Alaska on this 12<sup>th</sup> day of January, 2016.

\_\_\_\_\_  
Mim McConnell, Mayor

ATTEST:

\_\_\_\_\_  
Sara Peterson, CMC  
Municipal Clerk